

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13710	324/207.2,207.11,207.12,207.15,207.16,207.17,207.18,207.19,207.21,207.22,207.23,207.25,160,173,174,179.ccls. 33/IPT, 1N.ccls. 310/68B,168.ccls. 318/661.ccls. 356/4.01,4.02,4.03,4.04,4.05,4.06,4.07,138,139.09.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 11:32
L4	5841	1 and (gap air\$1gap distance spac\$3) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1resist\$4 coil winding determin\$5 measur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:04
L5	2026	4 and (speed velocity) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1resist\$4 coil winding determin\$5 measur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:01
L6	1694	5 and (rotat\$3 rotation\$3 revol\$5 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:04
L7	1737	5 and (reference threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 11:57
L8	287	7 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:00
L9	788007	(gap air\$1gap distance spac\$3) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1resist\$4 coil winding determin\$5 measur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:11

EAST Search History

L10	106132	9 and (speed velocity) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1 resist\$4 coil winding determin\$5 measur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:11
L11	61382	10 and (rotat\$3 rotation\$3 revol\$5 revolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:05
L12	54530	11 and (threshold reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:06
L13	7328	12 and (chang\$3 clos\$3 farther nearer "near" eccentric\$5) near5 (gap air\$1 gap spac\$3 distance) same (sensor transducer probe detect\$3 hall magneto\$1 resist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:51
L15	1791	13 and (chang\$3 adjust\$3 adapt\$5 alter\$5) near5 (threshold reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:52
L17	1702	15 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:22
L18	8530	10 and (sensor probe transducer detect\$3 hall magneto\$1 resist\$4) same (distance gap air\$1 gap spac\$3) same (multi\$1 pol\$4 encoder gear pulser pulsar (magnet\$3 pole n s north south electric\$3 ferr\$3 ferro\$1 magnet\$3) near3 (disk disc ring rim wheel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:28

EAST Search History

L19	6408	18 and (speed velocity) same (multi\$1pol\$4 encoder gear pulser pulsar (magnet\$3 pole n s north south electric\$3 ferr\$3 ferro\$1magnet\$3) near3 (disk disc ring rim wheel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:01
L20	570	19 and (chang\$3 clos\$3 farther nearer "near" eccentric\$5) near5 (gap air\$1gap spac\$3 distance) same (sensor transducer probe detect\$3 hall magneto\$1resist\$4) same (multi\$1pol\$4 encoder gear pulser pulsar (magnet\$3 pole n s north south electric\$3 ferr\$3 ferro\$1magnet\$3) near3 (disk disc ring rim wheel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:12
L21	497	20 not 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:33
L22	412	21 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 12:56
L23	4966	324/207.2,207.15,207.21,207.25,173.ccls. 356/138.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:35
L24	63	1 and (magnet\$2 electric\$3) near3 discontinuit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:37
L25	192	10 and (magnet\$2 electric\$3) near3 discontinuit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:37

EAST Search History

L26	165	25 not 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:39
L27	4	KLOOS-GEROLD.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:41
L28	9	STOLL-ROBERT.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:40
L29	172	23 and ((air\$1gap gap distance spac\$3) and (speed velocity) near5 (sensor probe transducer detect\$3 hall magneto\$1resist\$4 winding coil)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:45
L30	3534	12 and (vary\$3 variation varies) near5 (gap air\$1gap spac\$3 distance) same (sensor transducer probe detect\$3 hall magneto\$1resist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:51
L31	800	30 and (chang\$3 adjust\$3 adapt\$5 alter\$5) near5 (threshold reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:53
L32	421	31 not 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:53

EAST Search History

L33	270	19 and (vary\$3 varies variation) near5 (gap air\$1 gap spac\$3 distance) same (sensor transducer probe detect\$3 hall magneto\$1 resist\$4) same (multi\$1 pol\$4 encoder gear pulser pulsar (magnet\$3 pole n s north south electric\$3 ferr\$3 ferro\$1 magnet\$3) near3 (disk disc ring rim wheel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 13:59
L34	253	33 not 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:01
L36	713	1 and (gap air\$1 gap distance spac\$3) near5 (optic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:05
L37	184	36 and (speed velocity) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1 resist\$4 coil winding determin\$5 measur\$3 optic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:09
L38	140123	(gap air\$1 gap distance spac\$3) near5 (optic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:11
L39	20859	38 and (speed velocity) near5 (sens\$3 transducer detect\$3 probe hall magneto\$1 resist\$4 coil winding determin\$5 measur\$3 optic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:11
L41	285	39 and (vary\$3 varies variation chang\$3 clos\$3 farther nearer "near" eccentric\$5) near5 (gap air\$1 gap spac\$3 distance) same (sensor transducer probe detect\$3 hall magneto\$1 resist\$4 optic\$3) same (multi\$1 pol\$4 encoder gear pulser pulsar (magnet\$3 pole n s north south electric\$3 ferr\$3 ferro\$1 magnet\$3) near3 (disk disc ring rim wheel) (electric\$3 magnet\$3) near3 discontinuit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/05 14:15